



Ver detalles del producto en Medias

11.11.2025, 14:47:20 WET

SCHAEFFLER



NSSF-1012 [↗](#)

Hydraulic cylinder, 700 bar

BETEX NSSF Standard cylinder, single-acting, spring return, 10T class

Información técnica



Variante de su producto actual

Series	N55S	Standard cylinder
Version	10T	Capacity class 10

Datos técnicos

10	Capacity class (tons)
s_p	305,5 mm Stroke
F_a	111 kN Advance force, max.
P_{max}	700 bar Presión máxima de funcionamiento
V_{oil}	486 cm ³ Oil capacity
A	400 mm Height, retracted
B	705,5 mm Height, extended
D	57 mm Diámetro exterior
E	45 mm Cylinder bore diameter
F	38 mm Plunger diameter
H	19 mm Base to advance port
J	40 mm Saddle diameter
K	6 mm Saddle protrusion from plunger
O	1"-8 UN Plunger female thread (UN)
P	19 mm Plunger thread length
U	39 mm Base mounting holes, bolt circle
V	5/16"-18 UNC Base mounting holes, thread (UNC)
Z	13 mm Base mounting holes, thread depth
W	2 1/4"-14 UN Collar thread (UN)
X	30 mm Collar thread, length
≈m	6,8 kg Peso



Información adicional

Hard chrome plated and
hardened piston,
Rolled inside of cylinder,
Sandblasted outside
with black nitride coating,
Coupling with dust cap

Product specifics