



IMAGE  
COMING SOON

**FAG**

## SPA3028-H-W-T-AL-D [↗](#)

Soporte tensor

### Información técnica



#### Medidas principales y datos de rendimiento

d	125 mm	Shaft diameter
d <sub>c</sub>	137 mm	Chamfer diameter
h	300 mm	Height
a	425 mm	Length total

**Medidas**

a 1	260 mm	Length guidance groove
a 2	130 mm	Distance shaft axis
g 1	136 mm	Total width with lid
g 2	156 mm	Width total shaft
m	225 mm	Distance fork bore shaft center
r 1	70 mm	Fork radius
x	90 mm	Fork clearance
x 1	90 mm	Fork flange diameter
u	50 mm	Fork boring diameter
p	60 mm	Inner fork width
p 1	150 mm	Outer fork width
f	270 mm	Distance guidance grooves
f 1	45 mm	Width guidance groove
D	210 mm	Outside diameter bearing
k	3 mm	Axial displacement
g	70 mm	Anchura del cuerpo de soporte
g 3	68 mm	Locking collar width
g 4	61 mm	Distance bearing center cover
t	240 mm	Pitch circle diameter holes
s 2	M10	Agujero de fijación roscado
s 2	8	Number of screwing holes

**Información adicional**

23028..-K	Referencia rodamiento
H3028	Manguito de fijación