



IMAGE  
COMING SOON

**FAG**

## SPA3168-H-W-T-AL-D [↗](#)

Soporte tensor

### Información técnica



#### Medidas principales y datos de rendimiento

d	320 mm	Shaft diameter
d <sub>c</sub>	344 mm	Chamfer diameter
h	740 mm	Height
a	1.290 mm	Length total

**Medidas**

a 1	740 mm	Length guidance groove
a 2	370 mm	Distance shaft axis
g 1	373 mm	Total width with lid
g 2	421 mm	Width total shaft
m	720 mm	Distance fork bore shaft center
r 1	200 mm	Fork radius
x	310 mm	Fork clearance
x 1	180 mm	Fork flange diameter
u	120 mm	Fork boring diameter
p	180 mm	Inner fork width
p 1	300 mm	Outer fork width
f	700 mm	Distance guidance grooves
f 1	150 mm	Width guidance groove
D	580 mm	Outside diameter bearing
k	5 mm	Axial displacement
g	220 mm	Anchura del cuerpo de soporte
g 3	183 mm	Locking collar width
g 4	178 mm	Distance bearing center cover
t	640 mm	Pitch circle diameter holes
s 2	M24	Agujero de fijación roscado
s 2	8	Number of screwing holes

**Información adicional**

23168..-K	Referencia rodamiento
H3168-HG	Manguito de fijación

